

## Section 1 - Identification

**Product Name:** Kiara Sky Dip Essential Bond

**Product Sku:** KSDB01

**Company:** **Kiara Sky Professional Nails Inc.**  
8700 Swigert Ct. Ste. 109-209  
Bakersfield, CA 93311

**Company Number:** (661)393-4800

**Emergency Contact:** CHEMTEL **Contract:** MIS2294037

**Emergency Phone:** (800)255-3924 **Outside of U.S.:** (813)248-0585

## Section 2 - Hazards Identification

### GHS classifications

**Health:** SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A  
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) -Category 3

**Physical:** FLAMMABLE LIQUIDS - Category 2  
SKIN CORROSION/IRRITATION - Category 2

### GHS label elements

**Hazard pictograms:**



**Signal Word:** Danger

**Hazard statements:** H225: Highly flammable liquid and vapor.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness and dizziness.

### Precautionary statements

#### **Prevention:**

Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling.

#### **Response:**

IN CASE OF FIRE: Use dry chemical, foam or carbon dioxide to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**Storage:** Store locked up. Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of in a manner consistent with federal, state, and local regulations.

### ***Section 3 - Composition/Information on Ingredients***

<b>Ingredient name:</b>	<b>CAS number:</b>	<b>%</b>
ethyl acetate	141-78-6	100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### ***Section 4 - First Aid Measures***

#### **Description of necessary first aid measures**

**Eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids, for at least 15 minutes. If easy to do so, remove any contact lenses. Get immediate medical attention.

**Inhalation:**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is difficult.

**Skin contact:**

Wash with soap and water. Get medical attention if irritation develops or persists.

**Ingestion:**

If swallowed, do not induce vomiting. Keep individual calm. Get medical attention and show container label.

#### **Over-exposure signs/symptoms**

**Eye contact:**

Causes serious eye irritation.

**Inhalation:**

May cause temporary dizziness, headache and possible nausea if used in poorly ventilated area.

**Skin contact:**

May cause skin dryness and cracking.

**Skin absorption:**

No data available on this product.

**Ingestion:**

Do not induce vomiting. Get immediate medical attention and show container label.

**Acute Toxicity:**

May cause skin dryness and cracking. May irritate and cause redness and pain.

**Chronic Effects:**

Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

### ***Section 5 - Fire-fighting measures***

**General Hazard:** Flammable liquid and vapor.

<b>Extinguishing media:</b>	Use dry chemical, foam or carbon dioxide.
<b>Hazardous combustion products:</b>	Combustible by-products of carbon monoxide and dioxide.
<b>Explosion Hazards:</b>	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases or explosive concentrations.
<b>Fire fighting procedures:</b>	Avoid using large quantities of water.
<b>Fire fighting equipment:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, (OSHA approved or equivalent) and full protective gear.
<b>Fire explosion:</b>	Containers may rupture violently under fire temperatures. Cool containers with water if exposed to fire conditions.
<b>Sensitive to static discharge:</b>	Electrostatic charges may be generated during pumping. Ground all containers.
<b>Sensitivity to impact:</b>	None known.
<b>Hazardous decomposition products:</b>	Carbon monoxide or carbon dioxide.

## ***Section 6 - Accidental release measures***

### **Methods and materials for containment and cleaning up**

#### **Small spill :**

Ventilate area and remove sources of ignition. Confine and remove with inert absorbent then place in appropriate waste container.

#### **Large spill:**

Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on adsorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. After all visible traces, including ignitable vapors, have been removed thoroughly wet vacuum the area. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal.

### **Environmental precautions**

**Water spill:** Do not release to the environment.

**Land spill:** Do not release to the environment.

**Air spill:** Do not release to the environment.

#### **Special protective equipment:**

Wear a self-contained breathing apparatus and appropriate personal protective equipment. (See Exposure Controls/Personal Protection Section).

## ***Section 7 - Handling and storage***

### **Precautions for safe handling**

#### **General procedures:**

Avoid breathing of vapors. Use only in well ventilated areas. When handling, do not eat, drink or smoke.

**Handling:**

Use with adequate ventilation. Avoid contact with eyes, skin and clothing.

**Storage:**

Store in a cool, well-ventilated area of low fire risk. Spray mist and vapors are flammable.

**Storage temperature:**

Ambient room temperature (70°F/21°C).

**Loading temperature:**

No data available on this product.

**Loading/unloading viscosity:**

No data available on this product.

**Storage pressure:**

No data available on this product.

**Special sensitivity:**

None known.

**Electrostatic accumulation hazard:**

Take measures to prevent the build up of electrostatic charge.

## **Section 8 - Exposure controls/personal protection**

**Exposure guidelines**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		Exposure limits					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m3	ppm	mg/m3	ppm	mg/m3
Ethyl acetate	<b>TWA</b>	400 ppm	1400	400 ppm	1440	NL	NL
	<b>STEL</b>					NL	NL

**Engineering controls:**

Chemical	OSHA	ACGIH(TLV)
Ethyl acetate	400 ppm	400 ppm

**Personal protective measures****Eyes and face:**

Avoid contact with eyes.

**Skin:**

Wear chemical resistant gloves (Buna-N or Polyvinyl alcohol) and apron to protect skin and clothing.

**Respiratory:**

If ventilation is not adequate, wear NIOSH approved respiratory protection.

**Protective clothing:**

Wear protective clothing. Launder contaminated clothing before reuse.

**Work hygienic practices:**

Avoid direct contact and breathing vapor. Use with adequate ventilation. Wash hands with soap and water after use.

## ***Section 9 - Physical and chemical properties***

### **Appearance**

Physical state:	Liquid.
Odor:	Sweet, ester.
Odor threshold:	3.9 ppm
Appearance:	Clear, Colorless liquid
Color:	Clear, transparent.
pH:	No data available on this product.
Percent volatile:	No data available on this product.
Flash point and method:	-4°C (26°F) TCC
Flammable limits:	No data available on this product.
Auto-ignition temperature:	427°C (800.6°F)
Vapor pressure:	99 mmHg at 20°C (68°F)
Vapor density:	3 (Air=3)
Boiling point:	77°C (170°F) to 78°C (172°F)
Freezing point:	-83°C
Melting point:	No data available on this product.
Pour point:	No data available on this product.
Thermal decomposition:	No data available on this product.
Solubility in water:	Moderate
Evaporation rate:	4.1
Specific gravity:	0.902 at 20°C
Viscosity #1:	< 5 Centipoise
Coeff. oil/water: (VOC):	No data available on this product. 900 g/L

## ***Section 10 - Stability and reactivity***

<b>Stable:</b>	Yes
<b>Hazardous polymerization:</b>	No
<b>Stability:</b>	Stable.
<b>Polymerization:</b>	Will not occur.
<b>Conditions to avoid:</b>	Avoid all possible sources of ignition (spark or flame).
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Hazardous decomposition products:</b>	Carbon monoxide, dioxide.
<b>Incompatible materials:</b>	Reactive or incompatible with the following materials: oxidizing materials

## ***Section 11 - Toxicological information***

### **Information on toxicological effects**

## Acute toxicity

Product/ingredient name	Oral Toxicity LD <sub>50</sub> (mg/kg)	Dermal Toxicity LD <sub>50</sub> (mg/kg)	Inhalation Toxicity LC <sub>50</sub> (rat)
Ethyl acetate	5620 (rat)	180,000 (rabbit)	45,000 mg/m <sup>3</sup> (mouse, 2hr)

**Serious eye damage/ Irritation:** Slight (Rabbit).

**Skin corrosion/irritation:** None (Rabbit).

**Chronic:** Repeated exposure may cause skin dryness or cracking.

**Subchronic:** No data available on this product.

**Germ cell mutagenicity:** Prevent contamination of soil, drains and water surfaces. Dike and contain material. Soak up residue with absorbent (Clay, sand) materials and dispose properly.

### Carcinogenicity:

**IARC:** Not listed.

**NTP:** Not listed.

**OSHA:** Not listed.

**NOTES:** This product is not considered to be carcinogenic by IARC, ACGIH, NTP, or OSHA.

**Irritation:** May cause eye irritation, skin irritation and irritation of respiratory tract.

**Reproductive Toxicity:** None known.

**Stot single exposure:** Inhalation- vapor: May cause drowsiness or dizziness.

**Stot repeated exposure:** None known.

**Genetic effects:** None known.

**Aspiration hazard:** Not applicable.

### Target organs:

Chemical	Health Effect	Target Organ
Ethyl acetate	Irritant/Dizziness	Skin/Respiratory system

**Teratogenic effects:** No data available on this product.

**Mutagenicity:** No data available on this product.

## Section 12 - Ecological information

### Environmental data:

This product is readily biodegradable. Do not release into surface waters.

### Ecotoxicological information:

This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems or bodies of water.

### Bioaccumulation/accumulation:

Potential to bioaccumulate is low.

## ***Section 13 - Disposal considerations***

- Disposal methods:** Dispose of following all Local Authority requirements for disposal.
- For large spills:** Prevent contamination of soil, drains and surface waters. Dike and contain material. Soak up residue with absorbent (clay, sand) materials and dispose of properly.
- Empty container:** Dispose of following all Local Authority requirements for disposal.

## ***Section 14 - Transport information***

### **DOT (Department of Transportation)**

**Proper shipping name:** UN1173, ETHYL ACETATE, 3, II (LTD QTY, IP VOL LESS THAN OR EQUAL TO 1.0L)

### **AIR (ICAO/IATA)**

**Shipping name:** ID8000, CONSUMER COMMODITY, 9 (IP VOL LESS THAN OR EQUAL TO 0.5L; or UN1173, ETHYL ACETATE, 3, II.

### **VESSEL (IMO/IMDG)**

**Shipping name:** UN1173, ETHYL ACETATE, 3, II

## ***Section 15 - Regulatory information***

### **United States**

#### **SARA TITLE III (Superfund Amendments and Reauthorization Act)**

**Fire:** Yes.    **Pressure generating:** No.    **Reactivity:** No.    **Acute:** Yes.    **Chronic:** No.

#### **CERCLA (Comprehensive Response, Compensation, and Liability Act)**

<b>Chemical Name</b>	<b>Wt. %</b>	<b>CERCLA RQ</b>
Ethyl acetate	100	5,000 lbs.

#### **TSCA (Toxic Substance Control Act)**

**TSCA status:** All ingredients in this mixture are in compliance with TSCA.

#### **CALIFORNIA PROPOSITION 65:**

No California Proposition 65 ingredients are known to be in this product.

## ***Section 16 - Other information***

**Title:** Regulatory Affairs Manager

**Prepared by:** Product Safety    **Date Revised:** 12/20/19

**Revision Summary:** This SDS replaces the 06/15/2019 SDS.


**Hazardous Material Information System (U.S.A.)**

Health	2
Flammability	3
Physical hazards	0
Personal protection	

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, Kiara Sky Professional Nails Inc., does not assume any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.