

Section 1 - Identification

Product Name: Kiara Sky Dip Powder Glow

Product Sku: DG101 - DG148

Company: **Kiara Sky Professional Nails Inc.**
8700 Swigert Ct. Ste. 109-209
Bakersfield, CA 93311

Company Number: (661)393-4800

Emergency Contact: CHEMTEL **Contract:** MIS2294037

Emergency Phone: (800)255-3924 **Outside of U.S.:** (813)248-0585

Section 2 - Hazards Identification

Classification of the substance or mixture:	Hazard Class - <i>Physical, Health, Environmental</i> Eye Damage/Irritation Skin sensitizer	Category 2A 1
----------------------------------------------------	----------------------------------------------------------------------------------------------------------	----------------------------

OSHA Defined Hazards Combustible dust, may form combustible dust concentrations in air, explosion hazard

Label Elements

Hazard pictograms - Pictograms, Signal Word, Hazard Statements, Precautionary Statements, & Supplemental Information



Signal Word: Warning

Hazard statements: H225 - Highly flammable liquid and vapor
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary statements

Prevention: P240 - Ground and bond container and receiving equipment
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash hands and exposed skin thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P321 - Specific treatment (see ... on this label)
P363 - Wash contaminated clothing before reuse

Response: P302+P352 - IF ON SKIN: Wash with soap and water
 P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P333+P313 - If skin irritation or a rash occurs: Get medical advice/attention
 P337+P313 - Get medical advice/attention
 P501 - Dispose of contents/container to an authorized disposal facility

Section 3 - Composition/Information on Ingredients

Chemical Name:	CAS number:	Weight-%	GHS Ratings:
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer	9003-42-3	90 – 100	Eye Damage/Irritation 2B (H320)
Benzoyl Peroxide	94-36-0	1 – 5	Eye Damage/Irritation 2A (H319) Skin Sensitizer 1 (H317)

Colors may contain INCI listed pigments: 0.1 to 10

Aluminum Powder	7429-90-5	Red Iron Oxide	1309-37-1
Black No. 2	1333-86-4	Tin Oxide	8062-08-6
Blue No. 1 Lake	3844-45-9	Titanium Dioxide	13463-67-7
Manganese Violet	10101-66-9	Ultramarines	57455-37-5
Mica	12001-26-2	Violet No. 23	6358-30-1
Phthalocyanine Blue	147-14-8	Yellow No. 5 Lake	1934-21-0
Red No. 7	5858-81-1	Yellow No. 83	5567-15-7
Red No. 27	18472-87-2	Yellow No. 110	5590-18-1
Red No. 40	25956-17-6		
Red No. 122	980-26-7	** No toxic chemical(s) subject to the	
Red No. 190	6424-77-7	reporting of section 313 of Title III	
Red No. 264	88949-33-1	and of 40 CFR 372 are present	

Section 4 - First Aid Measures

General Advice

Provide the SDS to medical personnel for treatment

Inhalation:

Remove victim to fresh air. Seek immediate medical attention.

Eye contact:

If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician

Skin Contact:

Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately

Clothing:

Remove contaminated clothing, wash thoroughly before reuse.

Ingestion:

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.

Section 5 - Fire-fighting measures

Suitable extinguishing media:

Water, Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media:

Water may not be effective in extinguishing this fire.

Specific hazards arising from the chemical:

Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective Equipment and Precautions for Firefighters:

Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static discharge, follow grounding and bonding procedures. Polymers are not sensitive to mechanical impacts.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Keep airborne particulates at a minimum when cleaning up spills. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

Environmental Precautions

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Methods for Cleaning Up

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

Section 7 - Handling and storage

Precautions for Safe Handling

Advice on Safe Handling

Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C) at all times. Storing above recommended temperature will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned, or destroyed.

Incompatible Materials

Strong oxidizers, strong oxidizing agents.

Section 8 - Exposure controls/personal protection

Chemical Name / CAS No.	OSHA Exposure limits	ACGIH Exposure Limits	Other Exposure Limits
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer 9003-42-3			
Benzoyl Peroxide 94-36-0	5 mg/m ³ TWA	5 mg/m ³ TWA	NIOSH: 5 mg/m ³ TWA

Engineering Controls

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personnel Protective Equipment (PPE)

Respiratory Protection

A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, a N95 respirator dust mask is required. None required if airborne concentrations are maintained below any exposure limit that may be listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.

Eye/Face Protection

Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to U.S. OSHA 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or wash-basin is available in case of exposure to eyes.

Skin and Body Protection

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact:

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Splash contact:

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 120 min

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

Section 9 - Physical and chemical properties

Appearance: Clear Odor: Faint Flammable Limit (Air Volume%, 0% Lower/Upper) Boiling Range (low - high) N/A	Physical State: Powder Flash Point: 579 F, 304 C Evaporation Rate No data available Specific Gravity 0.00
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

Section 10 - Stability and reactivity

Material stability

Stable

Incompatible materials

Strong oxidizers

Hazardous decomposition products

Methacrylate Monomer and Oxides of Carbon when burned

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Section 11 - Toxicological information

Mixture Toxicity

Component Toxicity

Routes of Exposure

Inhalation Eye Contact Ingestion

Target Organs

Eyes Skin Respiratory System

Effects of Overexposure

Overexposure by inhalation of titanium dioxide may include mild and temporary upper respiratory irritation with cough and shortness of breath.

Product Components Listed as Carcinogenic

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No data available

Section 12 - Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

No ecological problems are to be expected when the product is handled and used with due care and attention

Section 13 - Disposal considerations

Waste Treatment Methods

Disposal of Wastes Dispose waste material in accordance with Federal, State, and Local regulations. It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

Contaminated Packaging Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

Section 14 - Transport information

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
DOT	Not Regulated, Polymer, NOS			
IATA	Not Regulated, Polymer, NOS			
IMDG	Not Regulated, Polymer, NOS			

Section 15 - Regulatory information

State of California Safe Drinking Water and Toxic Enforcement Act of 1986

(Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:
- None

SARA 313

Benzoyl Peroxide 94-36-0

US State Right-to-Know Regulations

- None

Country

Regulation

EINECS
SARA Hazard Categories
TSCA Inventory

All Components Listed

Yes
No
Yes

Section 16 - Other information

Hazardous Material Information System (HMIS)

Health	1
Flammability	1
Physical hazards	0
Personal protection	B

HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard


0 = INSIGNIFICANT

1 = SLIGHT

2 = MODERATE

3 = HIGH

National Fire Protection Association (NFPA)



Date Prepared: 11/09/15
2015-07-09

Reviewer Revision 1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not considered a warranty or quality specification. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials on in any process, unless specified in the text.