

Section 1 - Identification

Product Name: HEMA-Free Gel Extensions Essentials - Non Wipe Top Coat
Product Sku: NTE04
Company: **Kiara Sky Professional Nails Inc.**
8700 Swigert Ct. Ste. 109-209
Bakersfield, CA 93311
Company Number: (661)393-4800
Emergency Contact: CHEMTEL **Contract:** MIS2294037
Emergency Phone: (800)255-3924 **Outside of U.S.:** (813)248-0585

Section 2 - Hazards Identification

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard. (29 CFR 1910.1200).
Classification of the substance or mixture: FLAMMABLE LIQUIDS - Category 1
EYE IRRITATION - Category 1
SKIN SENSITIZER - Category 1

GHS label elements

Hazard pictograms:



Signal Word: Warning
Hazard statements: Causes eye irritation.
Causes skin irritation.
May cause an allergic skin reaction.
Routes of Entry: Eye contact, Inhalation, Ingestion.

Potential Acute Health Effects:

Eyes: Slightly hazardous by the following route of exposure: of eye contact (Irritant).

Skin: No known acute effects of this product resulting from skin contact, It will irritate damaged skin, and difficult to get rid of, however in light of good industrial hygiene exposure to any chemical should be kept to a minimum.

Inhalation: Has a volatile smell, if a small amount of inhaled will be no risk. If much inhaled it will be irritating to the respiratory tract.

Ingestion: The product is expected harmful to Ingestion. Directly swallowing the product will lead abdominal pain, diarrhea, nausea, loss of appetite, etc. Toxic if swallowed.

Potential Acute Health Effects:

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

Medical Conditions Aggravated by Overexposure: There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate any medical condition.

Overexposure/Signs/ Symptoms: No information available.

Section 3 - Composition/Information on Ingredients

Substance/mixture: Mixture

Other means of identification: Not available.

| Ingredient name: | CAS number: | % |
|--|-------------|---------|
| Acrylates Copolymer | 25035-69-2 | 10 - 30 |
| Diethylene Glycol Dimethacrylate | 2358-84-1 | 10 - 30 |
| Pentaerythritol | 115-77-5 | 10 - 20 |
| Hydroxycyclohexyl Phenyl Ketone | 947-19-3 | 3 - 10 |
| Trimethylbenzoyl Ditolyphosphine Oxide | 270586-78-2 | 1 - 10 |
| DIMETHICONE | 9016-00-6 | 0 - 10 |
| BHT | 128-37-0 | 0 - 5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4 - First Aid Measures

Description of necessary first aid measures

Eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If the symptoms can not be eased, get medical attention.

Inhalation:

If feeling unwell, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact:

Wash with water and soap for a few minutes.

Ingestion:

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

See toxicological information (Section 11)

Section 5 - Fire-fighting measures

Extinguishing media

Suitable extinguishing media: CO₂, sand, extinguishing powder.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: None.

Flashpoint: 95°C

Special protective actions for fire-fighters:

Extremely flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Unusual Fire or Explosion Hazards: None.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures

Person-related safety precautions:

Wear protective equipment.

Environmental precautions:

Do not allow much product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

Methods and materials for containment and cleaning up

Small spill :

Mix absorb leaked material with (sand, diatomite, sawdust) then Cleaning and placed into a suitable container handling, and scrub the area with towel and water.

Large spill:

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7 - Handling and storage

Precautions for safe handling

Information for safe handling:

Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Information about fire - and explosion protection:

Keep ignition sources away, Do not smoke.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from flammable substances.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.

Section 8 - Exposure controls/personal protection

Control parameters

Ventilation and Engineering controls: No special ventilation and engineering controls are required.

Individual protection measures

Respiratory Protection:

No special respiratory protection is required for use of these products. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHA Standard, applicable U.S. State regulations, or the Canadian CSA standard.

Body Protection: General protective clothing.

Protective Gloves: Choose Rubber or plastic gloves with elbow-length gauntlet.

Eye Protection: Unnecessary, When necessary wear chemical goggles or face shield.

Section 9 - Physical and chemical properties

Appearance

| | |
|----------------------|---|
| Physical state: | Viscous liquid |
| Color: | Pale yellow |
| Odor: | Slight Irritating odor |
| pH: | Not available. |
| Melting point | <0°C |
| Boiling point | Not available. |
| Flash point | 95°C |
| Self-igniting: | Not. |
| Danger of explosion: | Under normal circumstances there is no risk of explosion. |
| Relative density: | 1.15 (water=1) |
| Vapor density | Not available. |
| Evaporation rate | Not available. |
| Solubility in water | Insoluble |
| Dynamic Viscosity | 0.250-0.350 pa.s (25°C) |

Section 10 - Stability and reactivity

| | |
|--|--|
| Reactivity: | No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability: | The product is stable. |
| Possibility of hazardous reactions: | Hazardous polymerization will not occur. |
| Hazardous decomposition products: | The following combustion products may be generated: carbon dioxide, carbon monoxide, water vapor, and trace volatile organic compounds or other toxic gases / smoke. |

Section 11 - Toxicological information

Information on toxicological effects

Toxicity to Animals: Not available.

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified NONE by NTP, NONE by OSHA. 3 (Not classifiable for human.) by IARC.

Other Toxic Effects on Humans: None.

Mutagenicity: Not available.

Teratogenicity: Not available.

This product has not been tested on animals to obtain toxicology data. Products components' toxicology data were found in scientific literatures. This data may or may not be present in this document.

Section 12 - Ecological information

Information about elimination (persistence and degradability): Removable from water.

Mobility and bioaccumulation potential: Not available

Ecotoxicological effects: May cause long-term adverse effects in the environment.

Aquatic toxicity: Toxic to aquatic organisms.

General notes: Water hazard class 2 (German Regulation) **(Self-assessment):** Hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

Section 13 - Disposal considerations

Product: Must be disposed of in accordance with applicable Federal, state and local regulations.

Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging: Recommendation Disposal must be made according to official regulations.

Section 14 - Transport information

DOT Classification for Bulk Shipments (non bulk shipments may differ): Not a DOT controlled material (United States).

DOT Proper Shipping Name: Not available.

UN Number: Not applicable.

Packing Group: Not applicable.

Marine Pollutant: Yes.

Hazardous Substance Reportable Quantity: Not available.

Special Provisions for Transport: Not applicable.

TDG Classification: Not controlled under TDG (Canada).

ADR/RID Classification: Not controlled under ADR(Europe).

IMO/IMDG: Not controlled under IMDG.

ICAO/IATA: Not controlled under IATA.

Section 15 - Regulatory information

HCS Classification: This product is not a "Hazardous Chemical " as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. Federal Regulation:

TSCA inventory: All components are exempted.

SARA 301/302/303:

Composition/information on ingredients

No chemicals in this product are listed as extremely hazardous substances in 40 CFR 355, Emergency Planning And Notification

SARA 304: No chemicals in this product require reporting under the requirement of 40 CFR 355, Emergency Planning And Notification (SARA extremely hazardous substances listed in Appendix A to Part 355 or CERCLA hazardous substances listed in Table 302.4 of 40 CFR Part 302).

SARA 313: This product contains no chemicals in excess of the applicable minimum concentration that are subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (Table 372.65).

Specific state and local regulations should be consulted to determine if there are any additional requirements. Because many States and localities have added requirements or incorporated the Federal contents in their own forms, Tier I & II forms should be obtained from the State Emergency Response Commission (SERC).

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: Xi, Xn

Risk phrases:

20/22 Harmful by inhalation and if swallowed.

36/37/38 Irritating to eyes, respiratory system and skin.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

16 Keep away from sources of ignition.

24/25 Avoid contact with skin and eye.

46 If swallowed, seek medical advice immediately and show this container or label

Section 16 - Other information


Hazardous Material Information System (U.S.A.)

| | | |
|---------------------|---|---|
| Health | / | 1 |
| Flammability | | 1 |
| Physical hazards | | 0 |
| Personal protection | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

| | |
|--|--|
| Date of printing: | 7/18/2025. |
| Date of issue/Date of revision: | N/A |
| Date of previous issue: | No previous validation |
| Version: | 1 |
| Key to abbreviations: | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations |
| References: | Not available. |

✔ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, Kiara Sky Professional Nails, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.